

Dahle PaperSAFE 22080

Auto-Feed Level P-4

Cross-Cut Shredder

Instruction Manual




Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573

22080

PaperSAFE®



DAHLE®



UK/US Instructions



IMPORTANT!

Read the operating and safety instructions BEFORE placing the document shredder into operation.



You must follow the instructions.

Keep the operating instructions in a safe place ready for later use.

Table of Contents

1.	Important information	6
1.4	Scope of supply	60
1.5	Technical specifications	60
2.	Operation	61
2.5	Paper shredding	62
2.12	CD, DVD & card shredding	64
3.	Maintenance	65
3.1	Emptying shredding waste.	65
3.4	Possible malfunctions	66
3.4/3.7	Overload	66/67
3.6/3.9	Overheated	66/67
3.15	Cleaning the shredder.	69

1.1 Intended use, warranty

The document shredder is designed for shredding paper.

Wear, damage due to improper use or unauthorised modifications and repairs are not covered by the warranty or the guarantee.

This document shredder is not suitable for industrial use.

1.2 Safety instructions

- Do not place the device near a source of heat.
- Store, transport and operate the device in an upright position only.
- Only use liquids and gases on the device that comply with DAHLE guidelines.
- Do not open up the device.
- Only operate the device in closed spaces, at tem-

peratures between 10°C and 25°C and at a non-condensing humidity between 15% and 95%.

- Ensure that the building installation has short-circuit protection (max. 16 A).
- Do not operate the document shredder without inserting documents.
- Use paper trays one at a time only.



Dispose of the document shredder properly in an environmentally friendly way at an authorised collection point. Do not dispose of any parts of the document shredder or packaging in domestic waste.

1.3 Key to pictograms



Important information



User information/safety instructions



WARNING



Place the device in a stable position on the floor, leaving a gap of 100 mm to the wall, ensure no heat can accumulate, engage brake mechanisms (depending on type)



Do not use near caustic substances.



Do not use near inflammable liquids or gases.



Automatic start-up



Do not expose to moisture



This document shredder is not intended to be used by children (the product is not a toy).



Do not touch the paper feed with your hands.



Do not allow items of clothing to come into contact with the paper feed.



Do not allow your hair to come into contact with the paper feed.



Keep spray cans away from the device.



Remove paper clips and staples before shredding.



Do not insert any diskettes.



Always wear safety goggles when destroying CDs/DVDs!




Disconnect the document shredder from the electrical power supply before performing maintenance work.



Technical specifications - Subject to technical modifications.



Noise level when operated without shredding documents



Shredded paper particles




Shredded CD/DVD strips



Shredded card particles



Weight



The power plug is used to disconnect the power supply.




The mains socket must be easily accessible at all times.



How to use




Document shredder on standby



Document shredder in operation



Automatic shut-down!



The document shredder will switch off automatically to cool down if used for a long time and /or if overloaded



Maintenance instructions / troubleshooting



Container full





Possible malfunctions




Automatic switch-off when housing is open

1.4



1.5



2.






DAHLE[®]


2.1



2.2



max. 5





2.3



Typ
Best.-Nr.






220-240 V
50-60 Hz



O.K.



2.4




2.



2.5





2.6








O.K.



O.K.



2.7






2.




DAHLE[®]

2.8



O.K.


2.9



DIN A4
80 g/m²
max. 80

O.K.





O.K.



2.10



O.K.




2.





2.11




2.12




O.K.





~~O.K.~~



2.13



O.K.



~~O.K.~~




3.




DAHLE[®]

3.1





~~O.K.~~




3.2



1.



2.



3.

3.




2.3

3.3





click




3.



3.4




3.5



1.




3 Sek.






2.

3.




2.6.

3.6



2.6.




3.




DAHLE®



3.7



~~O.K.~~




3.8




2.

3.





2.9.


3.9




~~O.K.~~




2.9.




3.10



3.11



3.12




3.




DAHLE[®]


3.13



3.14



3.15



Headquarters:

Novus Dahle GmbH & Co. KG
Breslauer Straße 34-38
49808 Lingen | Germany

Service contact:

Novus Dahle GmbH & Co. KG
Nikolaus-A.-Otto-Straße 11
96472 Rödental | Germany
Tel.: +49 9563 75299-0
Fax: +49 9563 75299-333
E-Mail: info@dahle.de
Web: www.dahle.de