

# ***Luxor RECLAIM Clear Acrylic 30" x 24" Tabletop Sneeze Guard Desk Divider***

Spec Sheet



*Provided by*


**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573


# RECLAIM® ACRYLIC SNEEZE GUARD – Freestanding Tabletop/Desk Mount

## Product Specifications

|                               |                                                                                                                                          |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Item Number                   | DIVTT                                                                                                                                    |
| Panel Material                | Clear acrylic (24" and 30" tall models) or frosted acrylic (30" tall models)                                                             |
| Panel Thickness               | 1/4"                                                                                                                                     |
| Gap Between Desktop and Panel | 1/2"                                                                                                                                     |
| Foot Material                 | Powder-coated aluminum and steel                                                                                                         |
| Required Tools for Assembly   | Allen wrench (included)                                                                                                                  |
| Includes                      | 1 panel and 2 or 3 feet (see chart on page 2)                                                                                            |
| Weights and Dimensions        | See chart on page 2                                                                                                                      |
| Cleaning                      | Clean with a microfiber cloth and a solution of mild dish soap and water or commercial plastic cleaners rated safe for use on acrylics.* |
| Marker Compatibility          | Water-soluble dry-erase markers only**                                                                                                   |
| Flammability Rating           | UL 94, HB                                                                                                                                |
| Warranty                      | 5 year limited warranty                                                                                                                  |




DIVTT-6024C-3024 shown



Frosted acrylic panel also available




DIVTT-CLAMP




DIVTT-2424C




DIVTT-3024C




DIVTT-4824C




DIVTT-6024C




DIVTT-2430C



DIVTT-3030C



DIVTT-4830C



DIVTT-6030C

## DIVTT – SPEC SHEET

| Product #   | Product Description                                  | Height | Width | Panel Color | # of Clamps | Shipping Method | Box Length | Box Width | Box Height | Shipping Weight | Panel Weight |
|-------------|------------------------------------------------------|--------|-------|-------------|-------------|-----------------|------------|-----------|------------|-----------------|--------------|
| DIVTT-2430F | 24" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet | 30"    | 24"   | Frosted     | 2           | Ground          | 33"        | 26"       | 1"         | 12 lbs.         | 6.1 lbs.     |
| DIVTT-3030F | 30" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet |        | 30"   |             |             |                 | 33"        | 32"       | 1"         | 14 lbs.         | 7.7 lbs.     |
| DIVTT-4830F | 48" x 30" Frosted Acrylic Divider w/ 2 Tabletop Feet |        | 48"   |             | 52"         |                 | 32"        | 1"        | 21 lbs.    | 12.2 lbs.       |              |
| DIVTT-6030F | 60" x 30" Frosted Acrylic Divider w/ 3 Tabletop Feet |        | 60"   |             | 64"         |                 | 32"        | 1"        | 27 lbs.    | 15.3 lbs.       |              |
| DIVTT-2430C | 24" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet   | 30"    | 24"   | Clear       | 2           |                 | 33"        | 26"       | 1"         | 12 lbs.         | 6.1 lbs.     |
| DIVTT-3030C | 30" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet   |        | 30"   |             |             |                 | 33"        | 32"       | 1"         | 14 lbs.         | 7.7 lbs.     |
| DIVTT-4830C | 48" x 30" Clear Acrylic Divider w/ 2 Tabletop Feet   |        | 48"   |             | 52"         |                 | 32"        | 1"        | 21 lbs.    | 12.2 lbs.       |              |
| DIVTT-6030C | 60" x 30" Clear Acrylic Divider w/ 3 Tabletop Feet   |        | 60"   |             | 64"         |                 | 32"        | 1"        | 27 lbs.    | 15.3 lbs.       |              |
| DIVTT-2424C | 24" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet   | 24"    | 24"   | Clear       | 2           |                 | 28"        | 26"       | 1"         | 10 lbs.         | 4.9 lbs.     |
| DIVTT-3024C | 30" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet   |        | 30"   |             |             |                 | 33"        | 26"       | 1"         | 12 lbs.         | 6.1 lbs.     |
| DIVTT-4824C | 48" x 24" Clear Acrylic Divider w/ 2 Tabletop Feet   |        | 48"   |             | 52"         |                 | 26"        | 1"        | 18 lbs.    | 9.8 lbs.        |              |
| DIVTT-6024C | 60" x 24" Clear Acrylic Divider w/ 3 Tabletop Feet   |        | 60"   |             | 64"         |                 | 26"        | 1"        | 22 lbs.    | 12.2 lbs.       |              |

### IMPORTANT WARNINGS:

**\*Proper Care and Cleaning of Acrylic – PLEASE READ BEFORE INSTALLING:** Acrylic sheeting can be damaged by harsh solvents and cleaners. Only use cleaning products labeled "commercial plastic cleaners", or mild soap and water to remove dirt and debris. When applying the cleaner, use a non-abrasive lint-free or microfiber cloth that won't scratch the surface. Never use products containing ammonia, acetone, carbon tetrachloride, scouring compounds, alcohol, bleach, aromatics, or gasoline. Chemical glass cleaners (even if they are environmentally friendly, organic, or non-scented) are also not to be used. All solvents need to be wiped clean with fresh water and blotted dry to reduce and prevent water spotting. Failure to adhere to the above guidelines can cause yellowing, cracks, and scratches in acrylic sheeting and may give the surface a frosted appearance. It will also void the Limited Warranty – our Limited Warranty does not apply to any damage caused by or the result of improper cleaning, handling, installation, operation, maintenance, pressure washing, accident, fire, natural disaster, explosion, abuse, vandalism, chlorine, chemicals from sprinkler systems, or other external forces. This warranty shall be null and void if any harmful solvents are used to clean.

**\*\*Use of Dry-Erase Markers:** Water-soluble dry-erase markers are safe for use on these acrylic panels. Other forms of dry-erase markers are not recommended because they will be difficult to erase and could possibly leave stains and ghosting.



9620 NE Tanasbourne, Dr. Suite 250, Hillsboro, OR 97124

[sales@mybinding.com](mailto:sales@mybinding.com)

**1-800-944-4573**